



Claim Amendments

1(previously presented). A compound of Formula (I) or (II)



wherein

A is nitrogen and B is carbon;

R⁰ is an aryl optionally substituted with one or more substituents or a heteroaryl optionally substituted with one or more substituents;

R¹ is aryl optionally substituted with one or more substituents, heteroaryl optionally substituted with one or more substituents, -CH=CH-R^{1a}, or -CH₂CH₂-R^{1a}, where R^{1a} is hydrogen or a chemical moiety selected from (C₁-C₈)alkyl, 3- to 8-membered partially or fully saturated carbocyclic ring(s), 3- to 6-membered partially or fully saturated heterocycle, aryl, heteroaryl, where the chemical moiety is optionally substituted with one or more substituents;

X is a bond;

R^{3a} and R^{3b} are each independently hydrogen, (C₁-C₄)alkyl, or halo-substituted (C₁-C₄)alkyl; and

R⁴ is a chemical moiety selected from the group consisting of (C₁-C₈)alkyl, aryl, heteroaryl, aryl(C₁-C₄)alkyl, a 3- to 8-membered partially or fully saturated carbocyclic ring(s), heteroaryl(C₁-C₃)alkyl, 5-6 membered lactone, 5- to 6-membered lactam, and a 3- to 8-membered partially or fully saturated heterocycle, where said chemical moiety is optionally substituted with one or more substituents;

a pharmaceutically acceptable salt thereof, a prodrug of said compound or said salt, or a solvate or hydrate of said compound, said salt or said prodrug;

provided that when the compound is a compound of Formula (II), R^{3a} and R^{3b} are not both hydrogen when X is a bond.

2(original). The compound of Claim 1 wherein R^4 is a chemical moiety selected from the group consisting of (C_1-C_8) alkyl, aryl(C_1-C_4)alkyl, and 3- to 8-membered partially or fully saturated carbocyclic ring(s), and 3- to 8-membered partially or fully saturated heterocycle, where said chemical moiety is optionally substituted with one or more substituents;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

3(original). The compound of Claim 2 wherein R^4 is (C_1-C_8) alkyl, halo-substituted (C_1-C_8) alkyl, cyclopentyl, cyclohexyl, piperidin-1-yl, pyrrolidin-1-yl, or morpholin-1-yl;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

4(original). The compound of Claim 1, 2 or 3 wherein said compound is a compound of Formula (I);

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

5-6(cancelled).

7(previously presented). The compound of Claim 4 wherein R^0 and R^1 are each independently a phenyl substituted with 1 to 3 substituents independently selected from the group consisting of halo, (C_1-C_4) alkoxy, (C_1-C_4) alkyl, halo-substituted (C_1-C_4) alkyl, and cyano;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

8(original). The compound of Claim 7 wherein R^0 and R^1 are each independently a phenyl substituted with 1 to 2 substituents independently selected from the group consisting of chloro, fluoro, (C_1-C_4) alkoxy, (C_1-C_4) alkyl, fluoro-substituted (C_1-C_4) alkyl, and cyano;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

9(original). The compound of Claim 8 wherein R^0 is 2-chlorophenyl, 2-fluorophenyl, 2,4-dichlorophenyl, 2-fluoro-4-chlorophenyl, 2-chloro-4-fluorophenyl, or 2,4-difluorophenyl; and R^1 is 4-chlorophenyl, 4-cyanophenyl, or 4-fluorophenyl;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

10(previously presented). The compound of Claim 4 selected from the group consisting of

2-(2-chloro-phenyl)-5-isopropyl-3-(4-methoxy-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-cyano-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-chloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-cyclohexyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2,4-dichloro-phenyl)-5-isopropyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(2,4-dichloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-5-cyclohexyl-2-(2,4-dichloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-isopropyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

3-(4-cyano-phenyl)-2-(3-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; and

3-(4-chloro-phenyl)-2-(3-chloro-phenyl)-5-cyclohexyl-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

or a solvate or hydrate of said compound.

11(original). The compound of Claim 10 selected from the group consisting of

2-(2-chloro-phenyl)-5-isopropyl-3-(4-cyano-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

2-(2-chloro-phenyl)-5-isopropyl-3-(4-chloro-phenyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one; and

3-(4-chloro-phenyl)-2-(2-chloro-phenyl)-5-(2,2,2-trifluoro-ethyl)-5,6-dihydro-2H-pyrrolo[3,4-c]pyrazol-4-one;

or a solvate or hydrate of said compound.

12-29(cancelled).

30(original). The compound of Claim 4 wherein R^1 is $-\text{CH}=\text{CH}-R^{1a}$, or $-\text{CH}_2\text{CH}_2-R^{1a}$, where R^{1a} is hydrogen or a chemical moiety selected from (C_1 - C_8)alkyl, 3- to 8-membered partially or fully saturated carbocyclic ring(s), 3- to 6-

membered partially or fully saturated heterocycle, aryl, heteroaryl, where the chemical moiety is optionally substituted with one or more substituents;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

31(original). The compound of Claim 1, 2 or 3 wherein said compound is a compound of Formula (II);

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

32-33(cancelled).

34(previously presented). The compound of Claim 31 wherein R^0 and R^1 are each independently a phenyl substituted with 1 to 3 substituents independently selected from the group consisting of halo, (C₁-C₄)alkoxy, (C₁-C₄)alkyl, halo-substituted (C₁-C₄)alkyl, and cyano;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

35(original). The compound of Claim 34 wherein R^0 and R^1 are each independently a phenyl substituted with 1 to 2 substituents independently selected from the group consisting of chloro, fluoro, (C₁-C₄)alkoxy, (C₁-C₄)alkyl, fluoro-substituted (C₁-C₄)alkyl, and cyano;


a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

36(original). The compound of Claim 35 wherein R^0 is 2-chlorophenyl, 2-fluorophenyl, 2,4-dichlorophenyl, 2-fluoro-4-chlorophenyl, 2-chloro-4-fluorophenyl, or 2,4-difluorophenyl; and R^1 is 4-chlorophenyl, 4-cyanophenyl, or 4-fluorophenyl;


a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

37-41(cancelled).

42(previously presented). A compound of Formula (III) or (IV)



(III)



(IV)

wherein

A is nitrogen and B is carbon;

R^{0a}, R^{0b}, R^{1a}, and R^{1b} are each independently halo, (C₁-C₄)alkoxy, (C₁-C₄)alkyl, halo-substituted (C₁-C₄)alkyl, or cyano;

n and m are each independently 0, 1 or 2;

X is a bond;

R^{3a} and R^{3b} are each independently hydrogen, (C₁-C₄)alkyl, or halo-substituted (C₁-C₄)alkyl; and

R⁴ is a chemical moiety selected from the group consisting of (C₁-C₈)alkyl, aryl, heteroaryl, aryl(C₁-C₄)alkyl, a 3- to 8-membered partially or fully saturated carbocyclic ring(s), heteroaryl(C₁-C₃)alkyl, 5-6 membered lactone, 5- to 6-membered lactam, and a 3- to 8-membered partially or fully saturated heterocycle, where said chemical moiety is optionally substituted with one or more substituents;

a pharmaceutically acceptable salt thereof, a solvate or hydrate of said compound or said salt:

provided that when said compound is a compound of Formula (IV), R^{3a} and R^{3b} are not both hydrogen when X is a bond.

43(original). The compound of Claim 42 wherein said compound is a compound of Formula (III);

a pharmaceutically acceptable salt thereof, a solvate or hydrate of said compound or said salt.

44-48(cancelled).

49(original). The compound of Claim 42 wherein said compound is a compound of Formula (IV);

a pharmaceutically acceptable salt thereof, a solvate or hydrate of said compound or said salt.

50-54(cancelled).

55(original). A pharmaceutical composition comprising (1) a compound of Claim 1, or a solvate or hydrate of said compound or said salt; and (2) a pharmaceutically acceptable excipient, diluent, or carrier.

56-58(cancelled).

59(currently amended). A method for treating ~~a disease, condition or disorder which is modulated by a cannabinoid receptor antagonist in animals~~ obesity comprising the step of administering to an animal in need of such treatment a therapeutically effective amount of a compound of Claim 1;

a pharmaceutically acceptable salt thereof, or a solvate or hydrate of said compound or said salt.

60(currently amended). The method of Claim 59 wherein said compound is administered in combination with ~~a nicotine receptor partial agonist, an opioid antagonist, a dopaminergic agent, an attention deficit disorder agent, or an anti-~~

obesity agent selected from the group consisting of an apo-B/MTP inhibitor, a 11 β -hydroxy steroid dehydrogenase- inhibitor, peptide YY₃₋₃₆ or an analog thereof, a MCR-4 agonist, a CCK-A agonist, a monoamine reuptake inhibitor, a sympathomimetic agent, a β_3 adrenergic receptor agonist, a dopamine agonist, a melanocyte-stimulating hormone receptor analog, a 5-HT_{2c} receptor agonist, a melanin concentrating hormone antagonist, leptin, a leptin analog, a leptin receptor agonist, a galanin antagonist, a lipase inhibitor, a bombesin agonist, a neuropeptide-Y receptor antagonist, a thyromimetic agent, dehydroepiandrosterone or analog thereof, a glucocorticoid receptor antagonist, an orexin receptor antagonist, a glucagon-like peptide-1 receptor agonist, a ciliary neurotrophic factor, a human agouti-related protein antagonist, a ghrelin receptor antagonist, a histamine 3 receptor antagonist or inverse agonist, and a neuromedin U receptor agonist.

61-63(cancelled).

64(currently amended). A method for treating ~~a disease, condition or disorder modulated by a cannabinoid receptor antagonist~~ obesity comprising the step of administering a pharmaceutical composition of Claim 55.

65(currently amended). The method of Claim 64 wherein said pharmaceutical composition further comprises an additional pharmaceutical agent, where said additional pharmaceutical agent is an anti-obesity agent selected from the group consisting of an apo-B/MTP inhibitor, a 11 β -hydroxy steroid dehydrogenase-1 inhibitor, peptide YY₃₋₃₆ or an analog thereof, a MCR-4 agonist, a CCK-A agonist, a monoamine reuptake inhibitor, a sympathomimetic agent, a β_3 adrenergic receptor agonist, a dopamine agonist, a melanocyte-stimulating hormone receptor analog, a 5-HT_{2c} receptor agonist, a melanin concentrating hormone antagonist, leptin, a leptin analog, a leptin receptor agonist, a galanin antagonist, a lipase inhibitor, a bombesin agonist, a neuropeptide-Y receptor antagonist, a thyromimetic agent, dehydroepiandrosterone or analog thereof, a glucocorticoid receptor antagonist, an orexin receptor antagonist, a glucagon-like peptide-1

receptor agonist, a ciliary neurotrophic factor, a human agouti-related protein antagonist, a ghrelin receptor antagonist, a histamine 3 receptor antagonist or inverse agonist, and a neuromedin U receptor agonist.

66-68(cancelled).

69(currently amended). A method for treating ~~a disease, condition or disorder modulated by a cannabinoid receptor antagonist in animals~~ obesity comprising the step of administering to an animal in need of such treatment two separate pharmaceutical compositions comprising

- (i) a first composition comprising a compound of Claim 1, or a pharmaceutically acceptable salt thereof or a solvate or hydrate of said compound or said salt, and a pharmaceutically acceptable excipient, diluent, or carrier, and
- (ii) a second composition comprising at least one additional pharmaceutical agent and a pharmaceutically acceptable excipient, diluent, or carrier, where said pharmaceutical agent is an antiobesity agent selected from the group consisting of an apo-B/MTP inhibitor, a 11 β -hydroxy steroid dehydrogenase-1 inhibitor, peptide YY₃₋₃₆ or an analog thereof, a MCR-4 agonist, a CCK-A agonist, a monoamine reuptake inhibitor, a sympathomimetic agent, a β_3 adrenergic receptor agonist, a dopamine agonist, a melanocyte-stimulating hormone receptor analog, a 5-HT_{2c} receptor agonist, a melanin concentrating hormone antagonist, leptin, a leptin analog, a leptin receptor agonist, a galanin antagonist, a lipase inhibitor, a bombesin agonist, a neuropeptide-Y receptor antagonist, a thyromimetic agent, dehydroepiandrosterone or analog thereof, a glucocorticoid receptor antagonist, an orexin receptor antagonist, a glucagon-like peptide-1 receptor agonist, a ciliary neurotrophic factor, a human agouti-related protein antagonist, a ghrelin receptor

antagonist, a histamine 3 receptor antagonist or inverse agonist, and
a neuromedin U receptor agonist.

70-71(cancelled).

72(original). The method of Claim 69 wherein said first composition and said second composition are administered simultaneously.

73(original). The method of Claim 69 wherein said first composition and said second composition are administered sequentially and in any order.